GOLDEN SUN ADVERTISING GIFTS PREPARING

📞 971 6 5959 267

🏠 Sharjah
United Arab Emirates

🌐 sales@goldensuntrading.com
goldensun3288@gmail.com
www.goldensuntrading.com

sales@goldensuntrading.com
goldensun3288@gmail.com
www.goldensuntrading.com

GOLDEN SUN

📞 971 6 5959 267

🏠 Sharjah
United Arab Emirates

🌐 sales@goldensuntrading.com
goldensun3288@gmail.com
www.goldensuntrading.com

TABLE OF
CONTENT

COMPANY
PROFILE

Golden Sun is a professional supplier & manufacturer for advertising materials in UAE.We provide almost all sign and digital printing materials, including flex banners, coated fabric, printing mesh, acrylic, self- adhesive vinyl, one-way vision, PVC foam board, PVC celuka board,etc.

Our faith is to create 100 % reliability and satisfaction in this field.With consistent good qualities, most competitive prices, fastest delivery and perfect after - sales, We keep on developing new products to meet the need of worldwide advertising markets and always put our customers at the head of their competitors.Deruge is ready to serve you the best at any time .

ABOUT
COMPANY

Factory Profile

We have 10 efficient production lines with annual output of 350 million tons. As our good quality and competitive price, our business has reached various countries in the world.

Goldensun Is Your Best Partner

PVC
FOAM BOARD

Pvc Foam Board Introduction

PVC foam boards are specially designed to meet the requirements in the field of advertising. The lightweight sheet is outstanding due to its brilliant white, smooth, even surface which forms the basis of a perfect printing result, particularly for direct digital printing. The material has particular advantages for screen printing, digital printing and lamination.

PVC
FOAM BOARD

Pvc Foam Board Descrption

| Size	m	1.22 x 2.44; 1.56 x 3.05; 2.05 x 3.05
Thickness	mm	1 to 10
Density	g/cm3	0.38 to 1
Color	White	
Package	PE bag, Carton box, Pallet or customized	
Hardness (ShoreD)	/	≥ 60

PVC
FOAM BOARD

PVC CELUKA BOARD

Introduction

The cellular structure and smooth surface polishing makes it an ideal material for architectural decorations, also an ideal choice for specialized printers and billboard for signs, displays and etc. The celuka PVC sheet always ensures dependable, reliable performance and excellent

PVC
FOAM BOARD

Size	m	1.22 x 2.44
Thickness	mm	3 to 40
Density	g/cm3	0.5 to 0.8
Color		White, black and others
Package		PE bag, Carton box, Pallet or customized
Tensile strength	Mpa	≥ 12
Shore hardness	D	≥ 55

PAPER FOAM BOARD

Introduction

Struture of KT foam board

- PS film
- PS film
- Polystyrene foam core

Structure of paper foam board

- Copper printing paper
- Copper printing paper
- Polystyrene foam core

PAPER FOAM BOARD

Paper Foam Board Description

| Item	Result
Size	1.22m x 2.44m
Thickness	3m; 5m; 10mm
Color	white; black; etc.
Film	PVC/Paper film
Advantage	light weight, durable, embossed, engraved
Application	decoration; promotion; advertising; display; tradeshow; etc.
Printing option	Digital Printing/UV printing
Finish	Glossy/Matt/None film
Package	Carton box

ACRYLIC SHEET

Introduction

ACRYLIC SHEET

Descrption

Item	Result		
Size	1.02m x 2.02m; 1.22m x 1.82m; 1.22m x 2.44m; 2m x 3m, etc.		
Thickness	2mm to 20mm		
Density	1.2 g/cm3		
Color	Transparent, white, red, yellow, blue, green, black, gray, etc.		
Material	Acrylic		
Grade	100% new		
Package	Both sides covered by kraft paper or PE film		
Advantage	Stable and durable, nontoxic, impact and crack resistance, UV light resistance, etc.		
Application	Construction	Windows, light shade, telephone booth, etc.	
	Advertising	Light boxes, signs, exhibition, etc.	
	Traffic	Trains, cars and other vehicles doors and windows, etc.	
	Medical	Infant incubator, all kinds of surgery medical equipment, etc.	
	Supplies	Bath facilities, handicrafts, cosmetics, etc.	
	Industrial	Instrument surface plate and the cover, etc.	
	Lighting	Fluorescent lamp, LED, street lamps, etc.	

CORRUGATED SHEET

Introduction

PROFESSIONAL MANUFACTURER

PP CORRUGATED BOARD

PP Plastic Corrugated Board is made of polypropylene which is a high purity hydrocaron. Non-toxic, flammable, recyclable, enviornmentally, friendly and no pollution problem. The boards appearance are flat, lightwieght and impact resistant

CORRUGATED SHEET

Descrption

Item	Result
Size	1.22m x 2.44m;
Thickness	3mm; 4mm; 5mm
Weight	450gsm; 650gsm; 800gsm
Color	White, red, yellow, blue, black, etc.
Grade	100% new raw material
Advantage	Stable and durable, nontoxic, impact and crack resistance, UV light resistance, etc.
Application	.Decoration; promotion; advertising; display; tradeshow; etc
Printing option	Digital Printing/UV printing

LAMINATED FLEX BANNER

Frontlit/Backlit/Black back/Grey back/Blockout

Hot Weight(g/m2): 280/340/380/440
Hot Width (m): 1.6/1.8/2.2/2.5/3.2
Length (m): 50/100

Descrption

| Product Code	Base Fabric	Total Weight	Tensile strength	Tear strength	Peeling Strengh	Temperature Resistance
	(Denier, threads/inch2)	(g/m2)	N/5cm	N/5cm	N/5cm	0C
AS-LF23 Frontlit	200*300D 18*12	280±10	L>720 / W>620	L>210 / W>200	>40	-100
AS-LF23 Frontlit	200*300D 18*12	340±10	L>750 / W>650	L>230 / W>220	>40	-100
AS-LF53 Frontlit	500*300D 12*18	380±10	L>750 / W>700	L>200 / W>200	>40	-100
AS-LF53 Frontlit	500*300D 12*18	440±10	L>750 / W>700	L>200 / W>200	>40	-100
AS-LF55 Frontlit	500*500D 9*9	440±10	L>880 / W>750	L>230 / W>180	>40	-100
AS-LF101 Frontlit	1000*1000D 9*9	440±10	L>1200 / W>1000	L:750 / W:700	>70	-100
AS-LF101 Frontlit	1000*1000D 9*9	510±10	L>1500 / W>1200	L>320 / W>320	>70	-100
AS-LB23 Backlit	200*300D 18*12	380±10	L>750 / W>650	L>230 / W>220	>40	-100
AS-LB53 Backlit	500*300D 12*18	440±10	L>700 / W>650	L>200 / W>200	>40	-100
AS-LB55 Backlit	500*500D 12*18	510±10	L>880 / W>750	L>230 / W>180	>40	-100
AS-LB510 Backlit	500*1000D12*18	610±10	L>1000/ W>900	L>250 / W>250	>40	-100
AS-LF23 white/grey	200*300D 12*18	380±10	L>750 / W>700	L>200 / W>200	>40	-100
AS-LF53 white/grey	500*300D 12*18	440±10	L>750 / W>700	L>200 / W>200	>40	-100
AS-LF55 white/black	500*500D 9*9	440±10	L>880 / W>750	L>230 / W>180	>40	-30

COATED
FLEX BANNER

MESH

Hot Weight(g/m2): 440/510/610
Width (m): 1.02 to 5
Length (m): 50/100

Descrption

Product Code	Base Fabric	Total Weight	Tensile strength	Tear strength	Peeling Strengh	Temperature Resistance
		(g/m2)	N/5cm	N/5cm	N/5cm	0C
AS-CF55 Frontlit	500*500D, 28*28	440±10	L>1600/ W>1500	L>275/ W>250	50	-90
AS-CF101 Frontlit	1000*1000D, 20*20	510 ±10	L>1700/ W>1600	L>285/ W>260	50	-90
AS-CF101 Frontlit	1000*1000D, 18*18	450±10	L>1650/ W>1550	L>280/ W>250	50	-90
AS-CD33 Blockout	300*300D, 40*42	440±10	L>1200/ W>1200	L>240/ W>240	50	-90
AS-CD55 Blockout	500*500, 28*28	610g ±10	L>1650/ W>1400	L>270/ W>250	50	-90
AS-CF103 Frontlit	1000D*1000D, 30*30	900±20	L>1900/ W>1850	L>295/ W>280	70	-90
AS-M101 Mesh	1000*1000D, 9*9	240±10	L>870/ W>870	L>250/ W>220	/	-90
AS-M105 Mesh	1000*500D, 12*18	260±10	L>900 W>900	L>250/ W>250	/	-90
AS-M111 Mesh+ PVC liner	1000*1000D, 9*9	370±10	L>870/ W>870	L>250/ W>220	/	-90
AS-M115 Mesh+ PVC liner	1000*500D, 12*18	370±10	L>900/ W>900	L>250/ W>250	/	-90
AS-M103 Mesh	1000*1000, 9*13	250±10	L>900/ W>870	L>250/ W>220	/	-90
AS-M113 Mesh+ PVC liner	1000*1000, 9*13	370±10	L>900/ W>870	L>250/ W>220	/	-90
AS-M102 Mesh	1000*1000, 12*12	250±10	L>900/ W>900	L>250/ W>250	/	-90
AS-M112 Mesh+ PVC liner	1000*1000, 12*12	360±10	L>900/ W>900	L>250/ W>250	/	-90

SELF-ADHESIVE VINYL
ONE WAY VISION
COLD LAMINATION FILM

Glue: White/Black/Grey/Transparent
Width (m): 1.07/1.27/1.37/1.52
Length (m): 50/100

Descrption

Code	Description	Thickness of PVC film	Weight of Release Paper	Standard Width	Length
		(Micron)	(g)	(m)	(m)
AS-VW810 white	Permanent, Monomeric	80	100	0.914/1.07/1.27/1.37/1.52	50/100
AS-VW812 white	Permanent, Monomeric	80	120	0.914/1.07/1.27/1.37/1.52	50/100
AS-VW814 white	Permanent, Monomeric	80	140	0.914/1.07/1.27/1.37/1.52	50/100
AS-VW1012 white	Permanent, Monomeric	100	120	0.914/1.07/1.27/1.37/1.52	50/100
AS-VW1014 white	Permanent, Monomeric	100	140	0.914/1.07/1.27/1.37/1.52	50/100
			140	1.82/2.02	50/100
AS-VW1016 white	Removable glue, polymeric	100	160	0.914/1.07/1.27/1.37/1.52	50/100
AS-VG810 grey	Permanent, Monomeric	80	100	0.914/1.07/1.27/1.37/1.52	50/100
AS-VG812 grey	Permanent, Monomeric	80	120	0.914/1.07/1.27/1.37/1.52	50/100
AS-VG814 grey	Permanent,Monomeric	80	140	0.914/1.07/1.27/1.37/1.52	50/100
AS-VG1012 grey	Permanent, Monomeric	100	120	0.914/1.07/1.27/1.37/1.52	50/100
AS-VG1014 grey	Permanent, Monomeric	100	140	0.914/1.07/1.27/1.37/1.52	50/100
			140	1.82/2.02	50/100
AS-VG1016 grey	Removable glue, polymeric	100	160	0.914/1.07/1.27/1.37/1.52	50/100
AS-VB810 black	Permanent, Monomeric	80	100	0.914/1.07/1.27/1.37/1.52	50/100
AS-VB812 black	Permanent, Monomeric	80	120	0.914/1.07/1.27/1.37/1.52	50/100
AS-VB814 black	Permanent, Monomeric	80	140	0.914/1.07/1.27/1.37/1.52	50/100
AS-VB1012 black	Permanent, Monomeric	100	120	0.914/1.07/1.27/1.37/1.52	50/100
AS-VB1014 black	Permanent, Monomeric	100	140	0.914/1.07/1.27/1.37/1.52	50/100
			140	1.82/2.02	50/100
AS-VB1016 black	Removable glue, polymeric	100	160	0.914/1.07/1.27/1.37/1.52	50/100
AS-VT710 Transparent	Permanent, Monomeric	70	100	1.07/1.27/1.37/1.52	50/100
AS-VT812 Transparent	Permanent, Monomeric	80	120	1.07/1.27/1.37/1.52	50/100
AS-VT814 Transparent	Permanent, Monomeric	80	140	1.07/1.27/1.37/1.52	50/100
AS-CL690	Cold lamination film	60	90	0.914/1.06/1.27/1.37/1.52	50/100
AS-CL710	Cold lamination film	70	100	0.914/1.06/1.27/1.37/1.52	50/100
AS-VP1212	One-way vision	120	120	0.98/1.27/1.37/1.52	50/100
AS-VP1218	One-way vision	120	180	0.98/1.27/1.37/1.52	50/100
AS-VP1414	One-way vision	140	140	0.98/1.27/1.37/1.52	50/100
AS-VPU1414 -UV	One-way vision	140	140	0.98/1.27/1.37/1.52	50/100
AS-VP158	One-way vision	150	180	0.98/1.27/1.37/1.52	50/100
AS-VPD204-double printing	One-way vision	200	140	0.98/1.27/1.37/1.52	50/100

LED MODULES & STRIPS

LED Lights come in different types to fit the requirement. They come instrips, and with different shapes and power types for both indoor and outdoor use.

SMD 3528	SMD 5050	SMD 2835
Cool White	Single &	Single &
Warm White	Multi colored	Multi colored
Red		
Green		
Blue		

CHANNELUME

WHITE   BLACK   RED   YELLOW

SILVERY   GREEN   BLUE   MATTE BLACK

Channelume for Shop signs, store signboard, office logo, company signage, home decoration. Widely used in indoor, outdoor, various letters, anomalous graphics, fixed decoration side for light box, fixed decoration for traditional light box, illuminated letter

Thickness	.6 mm
Width	5 cm, 7 cm, 9 cm
Color	White, black, red, yellow, blue, green, sliver brush sliver, brush gold, mirror sliver, mirror gold
Application	LED signs ,channel letters,led light box
Feature	Waterproof ,sun proof, corrosion resistance oxidized inside,easy to stick with glue
Alloy or not	Yes
Specification	50meters/roll